



Mezinárodní zkušenosti a možnosti využití standardizovaných přístupů v domácí péči

Beata Raisová, 7. 10. 2026

Proč potřebujeme standardizaci v DP?



- **Rostoucí komplexita:** Pacienti v domácím prostředí vyžadují stále složitější úkony.
- **Autonomie sestry:** Domácí péče je vysoce nezávislá; sestra potřebuje jasná vodítka.
- **Digitální transformace:** Propojení standardů péče s klinickými softwary a elektronickou dokumentací.

Přehledové srovnání úrovní standardizace



Země	Primární úroveň standardizace	Hlavní hodnoticí / klasifikační nástroj	Zapojení e-Health v terénu
Německo	Národní (rigidní legislativní standardy)	Pflegegrade (1–5), expertní standardy DNQP	Vysoké (povinná elektronická dokumentace)
UK	Národní regulace, lokální klinické postupy	Rámce CQC (inspekce), standardy NICE	Plná integrace v rámci systémů NHS
USA	Federální i státní regulace	Nástroj OASIS (povinný pro Medicare/Medicaid)	Velmi vysoké (napojení na úhrady)
Kanada	Regionální (provinční autonomie)	Metodika interRAI-HC (komplexní geriatrické hodnocení)	Heterogenní (dle jednotlivých provincií)
Švýcarsko	Regionální (kantonální) s národní metodikou	Systém RAI-HC (Resident Assessment Instrument)	Vysoké (sdílená e-dokumentace, LEP/NANDA)

Německo



Kategorizace a expertní standardy

- **Kategorizace potřeb:** Celonárodně standardizovaný systém posuzování soběstačnosti rozděluje pacienty do **5 stupňů péče (Pflegegrade)**.
- **Klinické standardy:** Německá síť pro rozvoj kvality v ošetřovatelství (**DNQP**) definuje závazné expertní standardy pro klíčové oblasti domácí péče: prevence dekubitů, pádů, management bolesti, propuštění, chronické rány, kožní integrita, nutrice, kontinence, ústní hygiena, demence a posílení vztahů.
- **Silná stránka:** Vysoká právní jistota, jasně měřitelná kvalita, silná e-Health dokumentace.

Velká Británie (UK)



Klinická excelence pod hlavičkou NHS

- **Garance kvality:** Národní institut pro zdraví a péči (**NICE**) vydává klinická doporučení, která jsou standardem i pro domácí komunitní ošetřovatelství (*District Nursing*) a sociální péči.
- **Inspekční dohled:** Nezávislý regulátor **Care Quality Commission (CQC)** kontroluje poskytovatele domácí péče na základě 5 standardizovaných otázek (Je péče bezpečná? Efektivní? Ohleduplná? Reagující na potřeby? Dobře vedená?).
- **Filosofie:** Silný důraz na **person-centred care** (péči zaměřenou na člověka) a zapojení pacienta do rozhodování.

USA



Standardizace řízená finanční úhradou

- **Podmínka úhrady:** Federální programy *Medicare* a *Medicaid* striktně podmiňují proplacení domácí ošetrovatelské péče odesláním standardizovaného datového souboru **OASIS** (Outcome and Assessment Information Set).
- **Obsah OASIS:** Detailně mapuje zdravotní stav pacienta, kognitivní funkce, emoce a schopnosti ADL (všední činnosti).
- **Klinická terminologie:** Široké uplatnění standardizovaných ošetrovatelských jazyků (např. klasifikace **NANDA-I**, **NIC**, **NOC**, **OMAHA**).
- **Silná stránka:** Obrovské množství standardizovaných dat pro benchmarking kvality a predikci rizik.

OASIS – klíčové body pro sběr dat



WHEN TO COLLECT OASIS DATA

POINT IN PATIENT CARE	REASON FOR ASSESSMENT	ASSESSMENT TIMEFRAME
Start of Care (SOC)	Further visits planned	5 calendar days after the SOC date (SOC = Day 0)
Recertification (RC) Follow-Up (FU)	A follow-up for recertification	The last 5 days of every episode (60 days from SOC)
Other Follow-Up (FU)	There is a significant change in the patient's condition	Within 2 calendar days of significant change in patient's condition
Transfer With Discharge	Patient is transferred to an inpatient facility & discharged from agency	Within 2 calendar days of the discharge/transfer/death date, or knowledge of a qualifying transfer to inpatient facility
Transfer Without Discharge	Patient is transferred to an inpatient facility but not discharged from agency	Within 2 calendar days of the discharge/transfer/death date, or knowledge of a qualifying transfer to inpatient facility
Resumption of Care (ROC)	Care resumes after an inpatient stay	Within 2 calendar days of facility discharge date, or knowledge of patient's return home
Death at Home	Patient passes away at home	Within 2 calendar days of the discharge/transfer/death date
Discharge	Discharge that is not to an inpatient facility	Within 2 calendar days of the discharge/transfer/death date

Kanada a Švýcarsko



Decentralizované systémy se společným jmenovatelem

- **Společný nástroj:** Obě země se opírají o mezinárodní standardizovaný hodnoticí systém **interRAI / RAI-HC** (Home Care).
- **Metodika interRAI-HC:** Standardizované posouzení potřeb seniora v domácím prostředí, které automaticky generuje algoritmy pro plánování ošetrovatelské péče a kalkulaci rizikových škál (např. riziko pádů, podvýživy).

Kanadský model HHNC 2024

Cross-cutting competencies

- Kritické myšlení a analýza problémů
- Péče s ohledem na věk, rozvoj, kulturní aspekty
- Komunikační dovednosti v rámci multidisciplinárního týmu
- Identifikace a využití strategií k podpoře rozhodování pacienta
- Dokumentace a sdílení informací v rámci legislativního rámce
- Využití technologií s ohledem na ochranu dat



Version 2.0 November 2024
Home Health Nursing Competencies
A collaboration between the Community Health Nurses of Canada and SE Health

WHAT? 79 EVIDENCE-BASED COMPETENCY STATEMENTS

What are they?

- A set of practical action-oriented statements that encompass the essential knowledge, skills, attitudes, and qualities a home health nurse needs to deliver safe and ethical care.
- Intended for nurses who have a minimum of **two years experience** in home health nursing

ACTION

Aligned with the 2019 Canadian Community Health Nursing Standards of Practice

Cross-cutting Competencies

- Health Promotion
- Prevention & Health Protection
- Professional Responsibility & Accountability
- Health Maintenance, Restoration & Palliation
- Evidence Informed Practice
- Professional Relationships
- Health Equity
- Capacity Building

WHO? Who are they for?

- **Point of Care Home Health Nurses:** to guide direct client care
- **Professional Practice Leads:** to guide staff orientation and ongoing training / professional development
- **Managers:** to meet accreditation standards

WHY? Why are they important?


To support home health nursing:

- Recruitment
- Orientation programs
- Professional development
- Performance evaluation
- Retention activities

Scan the QR Code to access the HHN Competencies and Dissemination Resource Package

Community Health Nurses: Leaders for a Healthy Canada

InterRAI – posouzení zastupuje druhou generaci hodnotících systémů



QOL-HC

1

 **interRAI™**

interRAI™ Self-Reported Quality of Life Survey for Home Care

Interviewer Version

Date of Interview:

Year
Month
Day

Interviewer ID: _____ Organization ID: _____

Person ID: _____

This survey has a variety of items about your quality of life. It also deals with how well _____
 _____ [name of program] is providing services to you. The main focus of this survey is to
 learn what life is like for you personally.

*I will read you a variety of statements about your experience with this organization and would like
 you to respond with how often that statement is true for you. There are no right or wrong answers.*

Note to interviewers: USE THESE CODES AS NECESSARY.

- 6 Don't know
- 7 Prefer not to say
- 8 No response or cannot be coded from response (write down what is said)

A. Privacy

First, I'd like to talk with you about privacy.

For each statement, please answer with one of the following choices:

0 Never 1 Rarely 2 Sometimes 3 Most of the time 4 Always

_____ A1. I can be alone when I wish.

_____ A2. I can have a private conversation when I wish.

B. Food and Meals

The items that follow are about your meals.

For each statement, please answer with one of the following choices:

0 Never 1 Rarely 2 Sometimes 3 Most of the time 4 Always

_____ B1. I get my favorite foods here.

_____ B2. I have enough variety in my meals.

_____ B3. I enjoy mealtimes.

© InterRAI 2018, 2019, 2020 (3/17) www.interRAI.org

Reproduction prohibited. Purchase InterRAI forms at catalog.interRAI.org

ISBN: 978-1-62254-054-9

CA InterRAI™ Contact Assessment (CA) Form Standard Version		1	interRAI™
A Screening Level Assessment for Intake to Home and Community Care			
[CODE FOR LAST 24 HOURS UNLESS OTHERWISE SPECIFIED]			
SECTION A. Demographic Information			

| SECTION B. Intake and Initial History | | | |

1. ASSESSMENT REFERENCE DATE

Day Month Year

2. REFERRAL DETAILS

a. Time frame for initiation of ordered treatments in community

- 0 Not ordered
- 1 Treatment already initiated in community
- 2 40 hours or more
- 3 24 to less than 40 hours
- 4 12 to less than 24 hours
- 5 Less than 12 hours

b. Administration of medication (other than IV)

c. Initiating catheter

d. IV therapy

e. Wound care

f. Other (specify)

g. Referral to initiate or continue rehabilitation services

0 No 1 Yes

3. EXPECTED LIVING ARRANGEMENT DURING SERVICE PROVISION

1 Alone

2 With spouse / partner only

3 With spouse / partner and others(s)

4 With child (not spouse / partner)

5 With parent(s) or grandparent(s)

6 With siblings(s)

7 With other relatives(s)


8 With nonrelatives(s)

4. EXPECTED RESIDENTIAL / LIVING STATUS DURING SERVICE PROVISION [COUNTRY SPECIFIC—CANADA]

- 1 Private home / apartment / rented room
- 2 Assisted living / semi-independent living / board and care
- 3 Mental health residence — e.g., psychiatric group home
- 4 Group home for persons with physical disability
- 5 Setting for persons with intellectual disability
- 6 Psychiatric hospital / unit
- 7 Homeless (with or without shelter)
- 8 Long-term care facility (nursing home)
- 9 Continuing care hospital / unit
- 10 Rehabilitation hospital / unit
- 11 Hospice facility / palliative care unit
- 12 Acute care hospital
- 13 Correctional facility
- 14 Other

© InterRAI 1994–2022/IS © www.interrai.org
Reproduction prohibited. Purchase InterRAI forms at catalog.interrai.org.
ISBN: 978-1-62255-214-6

Perigon – na základě Inter-RAI



Možnosti využití v ČR



- **Zavedení jednotného hodnoticího nástroje:** Inspirace kanadským/švýcarským modelem **interRAI-HC** pro objektivní posuzování stavu pacienta při příjmu do domácí péče.
- **Propojení standardů s financováním:** Podobně jako u amerického systému OASIS navázat úhrady od zdravotních pojišťoven na objektivní, elektronicky dokumentované výsledky péče (odklon od pouhého vykazování výkonů).
- **Implementace expertních standardů:** Převzetí konceptu německého **DNQP** pro národní tvorbu klinických doporučených postupů v domácím prostředí.
- **Rozvoj e-Health:** Povinná standardizace elektronických záznamů ošetřovatelského procesu pro zajištění kontinuity a bezpečí pacienta v terénu.

Strategie pro management DP



1. „Jedno zadání, mnohonásobné využití“ (Single Entry, Multi-use)



2. Radikální eliminace staré byrokracie (One In, Two Out)



3. Mobilní e-Health technologie přímo u lůžka



4. Algoritmická podpora rozhodování (Automatizace)




5. Přesun administrativní zátěže na administrativní personál



Změna je nevyhnutná



Pilíře změny: Komplexní reforma domácí péče



Závěr



- Standardizace **není byrokratická zátěž**, ale klíčový nástroj pro udržitelnost a bezpečnost domácí péče.
- Pokročilé zahraniční modely jasně ukazují, že budoucnost domácí péče spočívá v
 - **datově řízeném managementu,**
 - **integraci sociálně-zdravotního pomezí**
 - **vysoké autonomii všeobecných sester.**

Zdroje



- <https://interrai.org/instruments/>
- <https://www.cqc.org.uk/about-us>
- <https://getlimeai.com/what-is-oasis/>
- [cdn-home-health-nrsg-competencies-2024](#)
- [home-health-comps-dissemination-resource-pkg-2024](#)
- cms.gov/medicare/quality/home-health
- <https://web.root.ch/perigon-health>
- <https://www.dnqp.de/expertenstandards-und-auditinstrumente/>
- [VORL CAPs im Kreis interRAIHC](#)
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC12876434/>